

To: Kelly, Dan[dan.kelly@vistraenergy.com]; Kordzi, Joe[Kordzi.Joe@epa.gov]
From: Stenger, Wren
Sent: Tue 3/21/2017 4:10:37 PM
Subject: RE: BART CBI scrubber upgrade analysis - Luminant

Dan, I am copying Joe Kordzi, who is the lead on the Tx BART. He will coordinate your request.

Sent from my Windows Phone

From: Kelly, Dan
Sent: 3/21/2017 10:54 AM
To: Stenger, Wren
Subject: BART CBI scrubber upgrade analysis - Luminant


Wren,

I am writing to obtain EPA's scrubber upgrade analysis for the Texas BART proposal that contains CBI information for Luminant's facilities. The proposal notes that EPA "invite[s] the [affected] facilities . . . to make arrangements with us to view our complete updated cost analysis for their units." 82 Fed. Reg. 912, 928 (Jan. 4, 2017).

Please provide this document to me in electronic format at your earliest convenience. I'd be happy to send someone over to collect the disc when it is ready.

Regards,

Dan

	
Daniel Jude Kelly	Vistra Energy 1601 Bryan Street

Vice President	43 rd Floor
Associate General Counsel	Dallas, TX 75201
Dan.Kelly@vistraenergy.com	o 214.812.7182
vistraenergy.com	